

Catalog


www.mchworld.com











MINITRANSPORTERS

M SERIE

VERSATILITY AT YOUR SERVICE

The M350 and M500 are versatile machines designed to facilitate the transport of loads or bulky objects. From 350 to 500kg depending on the model, the M series transporters simplify transport for you, whatever your specialty. Construction, Agriculture, Maintenance of green spaces... The M350 and M500 mini dumpers are real daily allies. Sand, Wood, Rubble... transport your load, limit your efforts and focus your energy on more important tasks!

Their compact size of 66cm wide allows them to go through doors and facilitates their transport by truck or trailer. Equipped with a bucket with a volume of 2m3 (approximately) these carriers will be one of your toughest assistants to transport your load. Their extendable drop size allow you to adapt the bucket to your load. The assistance of the gas spring will facilitate your effort during the unloading of the bucket.

Boost your productivity with the hydraulic tipping of the M500H model.

M350 M500 M500H

M SERIE





M35



ENGINE BRAND



GX160 163 CM3 / 3,6KW **3600 TR/MIN**

MCH MOTORS

LS208 208 CM3 / 4,1KW 3600 TR/MIN

ENGINE TYPE

4 STROKES, MONOCYLINDER OHV

GEARBOX
6 FW / 2 BW

STARTING SYSTEM

MANUAL **OR ELECTRIC**

IN OPTION



MAX PAYLOAD (FLAT/SLOPE)
350 KG / 250 KG

MAX GREADABILITY

35%

NET WEIGHT

170 KG



OVERALL DIMENSIONS

169X63X99 CM

TIPPER DIMENSIONS

82X54X31,4 CM

TIPPING SYSTEM

GAS PISTON

RUBBER TRACK SIZE

180X60X37 CM





ENGINE BRAND



GX200 196 CM3 / 4,1KW 3600 TR/MIN

MCH MOTORS

LS208 208 CM3 / 4,1KW 3600 TR/MIN

ENGINE TYPE

4 STROKES, MONOCYLINDER OHV

GEARBOX
6 FW / 2 BW

STARTING SYSTEM

MANUAL **OR ELECTRIC**

IN OPTION



MAX PAYLOAD (FLAT/SLOPE)

500 KG / 350 KG

MAX GREADABILITY

35%

NET WEIGHT

195 KG



OVERALL DIMENSIONS

196X63X99 CM

TIPPER DIMENSIONS

109X54X31,4 CM

TIPPING SYSTEM **GAS PISTON**

RUBBER TRACK SIZE 180X60X42 CM

M SERIE





DROP SIDES



ENGINE BRAND

HONDA

GX200 196 CM3 / 4,1KW **3600 TR/MIN**



LS208 208 CM3 / 4,1KW 3600 TR/MIN

ENGINE TYPE

4 STROKES, MONOCYLINDER OHV

GEARBOX

6 FW / 2 BW

STARTING SYSTEM

MANUAL OR ELECTRIC

IN OPTION



MAX PAYLOAD (FLAT/SLOPE)

500 KG / 350 KG

MAX GREADABILITY

35%

NET WEIGHT

195 KG



OVERALL DIMENSIONS 196X63X99 CM

TIPPER DIMENSIONS 109X54X31,4 CM

TIPPING SYSTEM

HYDRAULIC

HYDRAULIC SYSTEM
PRESSURE - 160 BAR
MAX PUMPFLOW - 9,6 L/MIN
DOUBLE EFFECT HYDRAULIC CYLINDER

BURBER TRACK SIZE

180X60X42 CM



CONSTRUCTION



ENGINE BRAND



GX200 196 CM3 / 4,1KW 3600 TR/MIN



LS208 208 CM3 / 4,1KW 3600 TR/MIN

FNGINE TYPE

4 STROKES, MONOCYLINDER OHV

GEARBOX

6 FW / 2 BW

STARTING SYSTEM

MANUAL OR ELECTRIC

IN OPTION



MAX PAYLOAD (FLAT/SLOPE)

500 KG / 350 KG

MAX GREADABILITY

35%

NET WEIGHT

195 KG



183X63X110 CM

TIPPER DIMENSIONS

103X73X49 CM

TIPPING SYSTEM

HYDRAULIC

HYDRAULIC SYSTEM

PRESSURE - 160 BAR

MAX PUMPFLOW - 9,6 L/MIN

DOUBLE EFFECT HYDRAULIC CYLINDER

BURBER TRACK SIZE

180X60X42 CM







VERSATILE AND FULL OF ENERGY Little sister of the M serie, the Me serie consists of a range of machines with 100% electric motors, which are respectful of the environment.

Say goodbye to noise pollution: silent, these machines will be the ideal partner for all your indoor and outdoor work and even in the presence of animals or neighbours. You will also increase your working comfort and benefit from increased productivity even with prolonged use.

The electric starter allows you to start easily whatever the weather conditions. Your engine then delivers the maximum of its power instantly to allow you to take full advantage of the abilities of your machine.









M35



ENGINE

ENGINE REFERENCE



BLDC «HIGH TORQUE» SERVOMOTOR

ENGINE TYPE

ELECTRIC WITH OVERLOAD PROTECTION POWER (HP/KW): 1,36/1,0 **LITHIUM BATTERY: 48V 60AH**

GEARBOX

6 FW / 2 BW

STARTING SYSTEM AND TECHNOLOGY

ELECTRIC

\$3 (SOFT START AND STOP FUNCTION)

ALLOWS YOU A SMOOTH ACCELERATION AND STOP AND AVOIDS BUMPS.



MAX PAYLOAD (FLAT/SLOPE) 350 KG / 250 KG

MAX GREADABILITY

35%

NET WEIGHT

170 KG



ADDITIONAL INFO.

OVERALL DIMENSIONS

163X66X110 CM

TIPPER DIMENSIONS

87X54X26,5 CM

TIPPING SYSTEM

MANUAL WITH GAS PISTON

RUBBER TRACK SIZE

180X60X37 CM

WORKING TIME

±10H

RELOAD TIME

± 4,5H





ENGINE

ENGINE REFERENCE

MCH MOTORS

BLDC «HIGH TORQUE» SERVOMOTOR

ENGINE TYPE

ELECTRIC
WITH OVERLOAD PROTECTION POWER (HP/KW): 2/1,5

LITHIUM BATTERY: 48V 80AH

GEARBOX

6 FW / 2 BW

STARTING SYSTEM AND TECHNOLOGY

ELECTRIC

\$3 (SOFT START AND STOP FUNCTION)

ALLOWS YOU A SMOOTH ACCELERATION AND STOP AND AVOIDS BUMPS.



CAPACITY

MAX PAYLOAD (FLAT/SLOPE) 500 KG / 350 KG

MAX GREADABILITY

35%

NET WEIGHT

N/A



ADDITIONAL INFO.

OVERALL DIMENSIONS

196X66X110 CM

TIPPER DIMENSIONS

87X54X26,5 CM

TIPPING SYSTEM

MANUAL WITH GAS PISTON

RUBBER TRACK SIZE

180X60X42 CM

WORKING TIME

± 8H

RELOAD TIME

± 5H





M500He



ENGINE REFERENCE



BLDC «HIGH TORQUE» SERVOMOTOR

ENGINE TYPE

MOTEUR ÉLECTRIQUE AVEC PROTECTION ANTI SURCHARGE POWER (HP/KW): 2/1,5 LITHIUM BATTERIE: 48V 80AH

GEARROX

6 FW / 2 BW

STARTING SYSTEM AND TECHNOLOGY

ELECTRIC

\$3 (SOFT START AND STOP FUNCTION)

ALLOWS YOU A SMOOTH ACCELERATION AND STOP AND AVOIDS BUMPS.



CAPACITY

MAX PAYLOAD (FLAT/SLOPE)

500 KG / 350 KG

MAX GREADABILITY

35%

NET WEIGHT

N/A



OVERALL DIMENSIONS

196X66X110 CM

TIPPER DIMENSIONS

87X54X26,5 CM

TIPPING SYSTEM

GAS PISTON / AUTOMATIC

RUBBER TRACK SIZE

180X60X42 CM

WORKING TIME

± 8H

RELOAD TIME

± 5H





MSERIE

W350, SIMPLE, RELIABLE AND MULTITASKING.

The first model of the MCH wheel range. The W350e will be the versatile assistant you expect. Transport up to 300kg of cargo thanks to its reliable and powerful electric motor. Equipped with 4 inflatable wheels, this machine can adapt to uneven terrain. Its 2 rear moveable wheels facilitate maneuvers in tight spaces. Unlike the machines that rely on rubber track to move, they have wheels that allow you to respect the surrounding green spaces. Solid, its use is centered on the ease and comfort of the user. The W350e is handy, easy to maneuver and to take in hand. Activate the start command and its electric motor will instantly put all of its power at your service.

Available in 2 versions, choose the dump machine most suited to your activities:

- The agriculture model with its large drop side tray for transporting bulky objects.
- The construction model and its deep bucket, perfect for transporting rubble, sand, cement ...

The W350e is a 100% electric machine. It is quieter than thermal models and more respectful of your working environment since it avoids direct polluting emissions. Its electric motor requires very little maintenance. Its lithium battery gives it an autonomy of 4 hours at full charge and an extremely short recharge time of 3.5 hours. It has a LED headlight to increase your safety so that you can better appreciate the terrain and its obstacles. It also has a USB port to which you can connect your accessories or your smartphone.









AGRICULTURE



ENGINE

MCH MOTORS **CC SERVOMOTOR**

ENGINE TYPE

ELECTRIC

WITH OVERLOAD PROTECTION POWER (HP/KW): 0,82/0,6 **BATTERY: 48V 50AH**

LITHIUM

FORWARD - BAKWARD SPEED

0,5 - 4,46 KM/H | 0.6-2.3 KM/H

TIPPING SYSTEM **MANUAL**



MAX PAYLOAD (FLAT/SLOPE)
350 KG / 200KG

MAX GREADABILITY

30% (FULL LOAD)

NET WEIGHT

160 KG



OVERALL DIMENSIONS

155,5X86X101 CM

TIPPER DIMENSIONS

102X38,1X80 CM

TIPPING SYSTEM

MANUAL WITH GAS PISTON

WHEELS (FRONT / REAR)

16X6,50-8" / 13X5,00-6"

WORKING TIME / RELOAD TIME

 $\pm 10H / \pm 3,5H$

W SERIE



CONSTRUCTION





ENGINE TYPE

ELECTRIC

WITH OVERLOAD PROTECTION

POWER (HP/KW): 0,82/0,6

BATTERY: 48V 50AH

LITHIUM

FORWARD - BAKWARD SPEED

0,5 - 4,46 KM/H | 0.6-2.3 KM/H

TIPPING SYSTEM **MANUAL**



MAX PAYLOAD (FLAT/SLOPE)
350 KG / 200KG

MAX GREADABILITY

30% (FULL LOAD)

NET WEIGHT

160 KG



OVERALL DIMENSIONS

155,5X86X101 CM

TIPPER DIMENSIONS

115X38,6X 80/56 CM

TIPPING SYSTEM

MANUAL WITH GAS PISTON

WHEELS (FRONT / REAR)

16X6,50-8" / 13X5,00-6"

WORKING TIME / RELOAD TIME

 $\pm 10H / \pm 3,5H$

MCH PRICELIST

	MCH MOTORS	HONDA	
M 350	€1825	€ 2 075	
M350 e START	€ 2 075	€ 2 325	
M 500	€ 2 158	€ 2 408	
M500 e START	€ 2 408	€ 2 658	
M 500H	€ 2 492	€ 2742	
M500H e START	€ 2 742	€ 3 075	
M350e ELECTRIC MOTOR	€ 4 075		
M500e ELECTRIC MOTOR	€ 4 325		
M500He ELECTRIC MOTOR	€ 4 575		
W350e ELECTRIC MOTOR	€ 3 742		

CUSTOMER PRICE WITHOUT VAT











Minidumper





7	kW	CC		47/20			kg O O		kg	
GASOLINE M210	4,0	196	0,6	MANUAL START	1	1	500	350	325	
GASOLINE HONDA GX 200	4,1	196	0,6	MANUAL START	1	1	500	350	325	
DIESEL KM178	4,0	296	3,5	MANUAL/ ELETTRIC START	1	1	500	350	360	









Minidumper





7	kW	CC	L U	41/s			kg		kg
GASOLINE M210	4,0	208	0,6	MANUAL START	1	1	500	350	385
GASOLINE HONDA GX 200	4,1	196	0,6	MANUAL START	1	1	500	350	385
DIESEL KM178	4,0	296	3,5	MANUAL/ ELETTRIC START	1	1	500	350	420









MCH GROUP

Our mission

roducing machines for agriculture, forestry, construction and gardening with high quality standards and innovative design for competitive and demanding global markets.

The HYDRO560 series range

The HYDRO560 series range consists of 8 versions: HYDRO 560C - M210 BASIC/FULL; HYDRO 560C GP200 BASIC/FULL; HYDRO 560C - GX200 BASIC/FULL; HYDRO 560C -D DIESEL BASIC/FULL; HYDRO 560C BASIC (without loader); HYDRO 560C-S FULL (with loader).

The new series of Professional Mini Dumper HYDRO 560C/CS

We have designed and produced a new series of medium-sized mini-dumpers for professional use. In them we have integrated a new concept of style with innovative technical details and modern design; Technical solutions that allow safe and easy use; High quality of materials and workmanship; Robustness and reliability beyond all expectations; Important and accurate details to facilitate their use and transport.

WE HAVE SHAPED OUR CREATIVITY

Details are the essence of the product

Our products stand out for modern design and for the care of many details. From aesthetic finishes to technical contents: MS200 reinforced orbital motors; double gear hydraulic pump; double hydraulic distributor; internal and external roller protection; oil cooling radiator (optional); gasoline and diesel engines; reinforced type tracks; operator platform; reinforced frame.

Cured in the smallest details ...

We have decided to make the use of the machine as simple and practical as possible: high traction power, convenient platform for the operator; strong frame suitable for heavy and professional works.

"WE WILL NOT BE THE MOST ECONOMIC IN THE MARKET BUT WE CAN SAY TO BE AT THE TOP OF QUALITY"

We have made every effort to create a product beyond your expectations.

CUSTOMER SERVICE, OUR STRENGTH...

ne of our main target on which we focus all our efforts is the care of our customers. We dedicate our daily activities to the promotion of our products until the complete satisfaction of our customer and end users of our machines. Our products are CE certified and guaranteed for 24 months from sale to the final consumer. We have all the necessary technical documentation and all the spare parts that the machines are made of.





MCH GROUP SRL Contrada Piana - Zona Industriale IT-86019 Vinchiaturo (CB) Italy

Minidumper series


















WB560 Speciale Wood Box for Mini Dumpers HYDR0560 Series (series without loader) Hydraulic tipping, strong structure of notched base to stop the logs, easy drainage from the front door. Load capacity up to 500 Kg





ES560 Upper Dumper Body Extensions for HYDRO560 Series

(without loader). The extension of the side of about 20 cm allows the dumper body to increase the load volume for the transport needs of bulky and not particularly heavy materials.





MCH

