

TPV16 HYDRAULIC TRASH PUMP

STANLEY®

V SERIES

January 2014



Features and Benefits

The TPV16 Trash Pump is a submersible trash pump capable of pumping high volumes of liquids, sand slurries, gravel and sludge in a highly portable and durable package. It features a tough urethane bowl that is also light weight. Hydraulic trash pumps are commonly used in municipal and rescue applications where reliability and performance are critical.

Features

- Capable of pumping up to 1680 lpm
- Can run dry without damage to the unit, unlike electrical or gas powered pumps
- Can pump solids up to 75mm in diameter
- Self priming

SPECIFICATIONS

TPV16801	
Weight	14 kg / 31 lbs
Pressure	140 bar / 2,000 psi
Flow Range	26 - 34 lpm / 7 - 9 gpm
Connector	1/2 in. Male Pipe Hose End
Length	35 cm / 14 in.
Width	41 cm / 16 in.
Capacity	1688 lpm / 450 gpm
Discharge	75 mm / 3 in.
Porting	12 in. NPTF

ORDERING INFORMATION

Model No.	Description
TPV16801	Hydraulic Trash Pump 75 mm Discharge

ACCESSORIES

Part No.	Description
52720	3 in. Male Adapter
56761	Lay-Flat Discharge Hose, 3 in. x 25 ft

WARRANTY

Stanley Hydraulic Tools and their associated parts are warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. Stanley Hydraulic Tools reserves the right to repair or replace only those parts which prove to have been defective at the time of purchase. This warranty becomes void if maximum flow and pressure ratings are exceeded.

All Stanley Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specifications and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult Stanley Hydraulic Tools.