itala

135 ST / BT

INNOVATION IN CLEANING EQUIPMENT

TSM

itala

135 ST & BT

		135 ST	135 BT
Alimentazione / Runs on	-	Gasoline (Honda)	Battery 24 V
Potenza del motore / Motor power	Kw	4,10	1,90
Tempo di lavoro / Working time	h	∞	> 7
Rendimento orario / Coverage performance	m^2/ h	5500	6500
Trazione / Traction	-	Oleodynamic	Electric
Velocità massima / Maximum speed	Km/h	6,5	6,5
Pulizia con spazzola centrale / Main sweeping path	mm	600	600
Con 1 spazzola laterale / With 1 side brush	mm	925 - 975	925 - 975
Con 2 spazzola laterale / With 2 sides brushes	mm	1250 - 1350	1250 - 1350
Capacità di raccolta / Hopper capacity	L	135	135
Filtro / Filter	-	Polyester panel	Polyester panel
Superficie filtrante / Filtering surface	m^2	3	3
Pendenza massima / Maximum slope	%	20	20
Livello di rumorosità / Sound power level	Db (A)	80	70
Comp. batterie (LxLxH) / Batt. compartment (LxWxH)	mm	-	580 x 450 x 450
Peso senza batterie / Weight without batteries	Kg	330	350
Dimensioni (LxLxH) / Dimensions (LxWxH)	mm	2000 x 1270 x 1140	2000 x 1270 x 1140



itala

135 ST & BT



It's time to step forward and face the world's challenge.
It's time for ITALA

The conquest of simplicity

TSM - Technological Systems by Moro Srl
Via Fratelli Zambon, 9 - 33080 Fiume Veneto (PN) - Italy
Tel. +39.0434.564167 - Fax +39.0434.954069
www.tsmitaly.com - marketing@tsmitaly.com
- tsmitaly -

INNOVATION IN CLEANING EQUIPMENT